

Nginx

“ Nginx

- 1. ~
- 2. ~*
- 3. ! !*

- 1. -f !-f
- 2. -d !-d
- 3. -e !-e
- 4. -x !-x

rewrite flag flag

- 1. last apache [L] rewrite
- 2. break
- 3. redirect 302 URL
- 4. permanent 301 URL

last break URI alias last ; proxy_pass break Last rew

NginxRewrite

1.break

server,location,if;
rewrite

2.if

server,location
If && ||

```

location /CMS/ {## CMS location
    if ($request_uri ~ "CMS/was") { ## CMS/was ( )
        proxy_pass http://10.1.1.247;
        break; ##break
    }
    if ($request_uri ~ "CMS/Evaluate.action") { ##
        proxy_pass http://10.1.1.247;
        break;
    }
    rewrite ^ http://www.baidu.com/;##CMS
}

```

3.return

returncode ;

server,location,if;

```

location ~ .*\. (sh| bash)?$ {
    return 403;
}

```

4.rewrite

rewriteregex replacement flag

server,location,if

URI

if

```

if( $host ~* www\.(.*) ) {
    set $host_without_www $1;
    rewrite ^(.*)$ http://$host_without_www$1permanent;
}

```

5.Set

setvariable value ; :none; server,location,if;

```
set$varname "hello world";
```

6.Uninitialized_variable_warn

uninitialized_variable_warnon|off

http,server,location,if

Nginx Rewrite

1. html

```
if( !-e $request_filename )
{
    rewrite ^/(.*)$ index.html$last;
}
```

2. /123456/xxxx ==> /xxxx?id=123456

```
rewrite ^/(\d+)/(.+)/ /$2?id=$1 last;
```

3. IE /ie

```
if( $http_user_agent ~ MSIE)
{
    rewrite ^(.*)$ /ie/$1 break;
}
```

4.

```
location ~ ^/(cron|templates)/
{
    deny all;
    break;
}
```

5. /data

```
location ~ ^/data
{
    deny all;
}
```

6. .sh,.flv,.mp3

```
location ~ .*\. (sh|flv|mp3)$
{
    return 403;
}
```

7.

```
location ~ .*\. (gif|jpg|jpeg|png|bmp|swf)$
{
    expires 30d;
}
location ~ .*\. (js|css)$
{
    expires 1h;
}
```

8. favicon.ico robots.txt ;

favicon.ico 99 ,robots.txt 7 404

```
location ~(favicon.ico) {
    log_not_found off;
    expires 99d;
    break;
}
location ~(robots.txt) {
    log_not_found off;
    expires 7d;
```

```
break;  
}
```

9. ; 600

```
location ^~ /html/scripts/loadhead_1.js {  
    access_log off;  
    root /opt/lampp/htdocs/web;  
    expires 600;  
    break;  
}
```

10.

return 412 http 403

```
rewrite ^/ http: //img.linuxidc.net/leech.gif; //  
access_log off; //  
expires 3d // 3  
  
location ~*^\.+\. (jpg|jpeg|gif|png|swf|rar|zip|css|js)$ {  
    valid_referers none blocked *.linuxidc.com *.linuxidc.net localhost 208.97.167.194;  
    if ($invalid_referer) {  
        rewrite ^/ http: //img.linuxidc.net/leech.gif;  
        return 412;  
        break;  
    }  
    access_log off;  
    root /opt/lampp/htdocs/web;  
    expires 3d;  
    break;  
}
```

11. ip

```
root /opt/htdocs/www;  
allow 208.97.167.194;  
allow 222.33.1.2;
```

```
allow 231.152.49.4;
deny all;
auth_basic "C1G_ADMIN";
auth_basic_user_file htpasswd;
```

12. seo

```
/job-123-456-789.html    /job/123/456/789.html

rewrite^/job-([0-9]+)-([0-9]+)-([0-9]+)\.html$ /job/$1/$2/jobshow_$3.html last;
```

14. 2

```
/shanghaijob/    /area/shanghai/
    last permanent    /location/shanghai/
rewrite ^/([0-9a-z]+)job/(.*)$ /area/$1/$2last;
    /shanghai
rewrite ^/([0-9a-z]+)job$ /area/$1/ last;
rewrite ^/([0-9a-z]+)job/(.*)$ /area/$1/$2last;
    /shanghai
./list_1.html    /area/shanghia/list_1.html    /list_1.html,

(-d $request_filename)    rewrite
if (-d $request_filename){
rewrite ^/(.*)([ ^/])$ http://$host/$1$2/permanent;
}

rewrite ^/([0-9a-z]+)job$ /$1job/permanent;
rewrite ^/([0-9a-z]+)job/(.*)$ /area/$1/$2last;
```

15.

```
server{
    listen    80;
    server_name    jump.linuxidc.com;
    index index.html index.htm index.php;
    root    /opt/lampp/htdocs/www;
    rewrite ^/ http://www.linuxidc.com/;
```

```
access_log off;
}
```

16.

```
server_name www.linuxidc.com www.linuxidc.net;
index index.html index.htm index.php;
root /opt/lampp/htdocs;
if ($host ~ "linuxidc\.net") {
    rewrite ^(.*) http://www.linuxidc.com$1permanent;
}
```

nginx

```
arg_PARAMETER # GET PARAMETER
args # ( GET ) foo=123&bar=blahblah;
binary_remote_addr #
body_bytes_sent # body
content_length # Content-length
content_type # Content-Type
cookie_COOKIE #cookie COOKIE
document_root # root
document_uri # uri
host #
hostname #Set to themachine's hostname as returned by gethostname
http_HEADER
is_args # args "?" ""
http_user_agent # agent
http_cookie # cookie
limit_rate #
query_string # args
request_body_file #
request_method # GET POST
remote_addr # IP
remote_port #
remote_user # Auth Basic Module
request_completion # OK. (Empty)
request_method #GET POST
```

```

request_filename  #          root alias  URI
request_uri      #          URI          "/foo/bar.php?arg=baz"
scheme           #HTTP      http https
server_protocol  #          HTTP/1.0 HTTP/1.1
server_addr      #
server_name      #
server_port      #

```

Apache Nginx

```

Apache RewriteCond Nginx if
Apache RewriteRule Nginx rewrite
Apache [R] Nginx redirect
Apache [P] Nginx last
Apache [R,L] Nginx redirect
Apache [P,L] Nginx last
Apache [PT,L] Nginx last

```

www.linuxidc.net

```

Apache:
RewriteCond %{HTTP_HOST} !^(.)*\.aaa\.com$[NC]
RewriteCond %{HTTP_HOST} !^localhost$
RewriteCond %{HTTP_HOST} !^192\.168\.0\.(.)*$
RewriteRule ^/(.*)$ http://www.linuxidc.net[R,L]

```

Nginx :

```

if( $host ~* ^(.)*\.aaa\.com$ )
{
    set $allowHost '1';
}
if( $host ~* ^localhost )
{
    set $allowHost '1';
}
if( $host ~* ^192\.168\.1\.(.)*$ )
{
    set $allowHost '1';
}

```



```
if( $allowHost !~ '1' )  
{  
    rewrite ^/(.*)$ http://www.linuxidc.netredirect ;  
}
```

Revision #2

Created 6 August 2021 01:37:21 by

Updated 6 August 2021 01:49:35 by